




## PROFESSIONAL LABELING SOLUTIONS



Files & Binders



Shipping



General Identification



Asset Tracking



Visitor Management



Mailing



Samples



Outdoor



Utility Rooms



## Which labeller is for you?

Match your labelling uses and needs with the icons below to find the best labeller for you.



Filing



General Identification



Asset Tracking / Barcode



Cable Management



Visitor Management



Mailing & Shipping

## Do you need a special feature?

### Product/Software Features:



USB Connectivity



Wi-Fi Connectivity



Network Connectivity



Bluetooth® wireless technology\*



Backlit Screen



Rechargeable Battery

### Software features:



PC/Mac® compatibility via Dymo Connect software



PC compatibility via Dymo ID software



iOS/Android compatibility via Dymo® LetraTag® app



## DYMO LabelManager™ 160




Easy-to-use label maker with fast-formatting keys

- Prints 6/9/12 mm widths
- Edit text easily with one touch fast-formatting keys for text size, bold, italic, underline/box and vertical text
- Type text quickly on the computer style keyboard with country specific layout

1. LabelManager™ 160
2. D1 adaptor

Order-No.	SKU	Purchase Units	QT	Price
1.	XXXX	2174612	XXX	1/1
2.	XXXX	S0721430	XXX	1/1

Available label width:



## DYMO LabelManager™ 280




Smart, versatile - with all the right connections

- Prints 6/9/12 mm widths
- Customise labels with any fonts and graphics on your computer through PC or Mac® connection
- Edit text easily with one-touch fast-formatting keys
- See font effects on screen before you print with a graphical display

1. LabelManager™ 280
2. LabelManager™ 280 Kit Case

Order-No.	SKU	Purchase Units	QT	Price
1.	XXXX	S0968960	XXX	1/1
2.	XXXX	2091152	XXX	1/1

Available label width:



## DYMO LabelManager™ 210D+



All-purpose label maker with large graphical display

- Prints 6/9/12 mm widths
- Graphical display shows exactly how your label will print
- Computer style keyboard
- Multiple copies to print and storing 9 labels

1. LabelManager™ 210D+
2. LabelManager™ 210D+ Kit Case

Order-No.	SKU	Purchase Units	QT	Price
1.	XXXX	S0784440	XXX	1/1
2.	XXXX	2094492	XXX	1/1

Available label width:



## DYMO LabelManager™ 360D




Rechargeable, feature-packed label maker

- Prints 6/9/12/19 mm widths
- Powered by a rechargeable battery eliminating the inconvenience of AA batteries
- 7 font sizes, 3 font styles, 7 text styles and 8 boxes plus underline
- Large 7 cm x 3.8 cm screen that displays two lines of text

1. LabelManager™ 360D

Order-No.	SKU	Purchase Units	QT	Price
XXXX	S0879490	XXX	1/1	xx,xx

Available label width:



## DYMO LabelManager™ 420P




High-performance label maker with PC or Mac® Connection

- Prints 6/9/12/19 mm widths
- Large 4-line backlit display
- Use standalone – or connect via USB to your PC or Mac®
- UPC-E, Code 39, Code 128, EAN 13, EAN 8, UPC-A

1. LabelManager™ 420P
2. LabelManager™ 420P Kit Case

Order-No.	SKU	Purchase Units	QT	Price
1.	XXXX	S0915490	XXX	1/1
2.	XXXX	S0915480	XXX	1/1

Available label width:



DYMO® Labels are produced in Belgium



Packaging made from recycled materials



Look out for DYMO®  
FSC™-certified products  
Certificate : SGSCH-COC-041289





## DYMO® LabelManager™ Executive 640CB


Portable & Rechargeable Label Maker with Dual Connectivity.

- Prints 6/9/12/19/24 mm
- Effortless portability with a rechargeable lithium-ion battery
- Large, high-resolution screen for unparalleled readability
- Dual connectivity via USB-C and Bluetooth® Low Energy technology, eliminating the need to pair devices

1. LabelManager™ Executive 640CB
2. LabelManager™ Executive 640CB Kit Case

Order-No.	SKU	Purchase Units	QT	Price
1. XXXX	2197370	XXX	1/1	xx,xx
2. XXXX	2202121	XXX	1/1	xx,xx

Available label width:



70%



## LabelManager™ Features

MODEL / FEATURE	LM 160	LM 210D+	LM 360D	LM 280	LM 420P	LM EXC 640CB
PC Connectivity	No	No	No			
Fonts	1	1	3	3 +	8 +	8 +
Lines Displayed On Screen	1	1	2	2	4	5
Character Sizes	6	6	7	6	7	9
Print Styles	8	7	7	7	10	12
Border Styles	4	8	8	8	8	11+
Underlining / Vertical Printing	Yes	Yes	Yes			
Print Resolution	180 dpi	180 dpi	180 dpi	180 dpi	180 dpi	180 dpi
Repeat Printing	No	Yes	Yes	Yes		Yes
Multiple Lines Printing	2 lines	2 lines	2 lines	2 lines	4 lines	5 lines
Mirror Printing	No	Yes	Yes			Yes
Barcodes	No	No	No			
Adapter	Optional	Included	Included	Included	Included	Included
Battery Power	6 AAA (excluded)	6 AA (excluded)	Rechargeable (adapter included)	Rechargeable (adapter included)	Rechargeable (adapter included)	Rechargeable (adapter included)
Weight	350 g	435 g	610 g	770 g	415 g	685 g
Size	11.8 x 4.9 x 20.3 cm	15.5 x 16.5 x 6.4 cm	19.7 x 15 x 7.1 cm	20.2 x 11.4 x 5.8 cm	10.4 x 21.5 x 5.7 cm	18 x 15 x 7.5 cm
Tape System	DYMO® D1	DYMO® D1	DYMO® D1	DYMO® D1	DYMO® D1	DYMO® D1
Tape Width	6/9/12 mm	6/9/12 mm	6/9/12/19 mm	6/9/12 mm	6/9/12/19 mm	6/9/12/19/24 mm
Machine	Black/White 12 mm	Black/White 12 mm	Black/White 19 mm	Black/White 12 mm	Black/White 19 mm	Black/White 24 mm
Warranty Guarantee*	2+1 years	2+1 years	2+1 years	2+1 years	2+1 years	2+1 years

\* 2 years warranty +1 additional year upon registration on dymo.com



DYMO® Labels are produced in Belgium



Packaging made from recycled materials



Look out for DYMO®  
FSC™-certified products  
Certificate : SGSCH-COC-041289



## DYMO D1® Standard Labels

For use with LabelManager™ series and LabelWriter™ 450 Duo.

For hundreds of tasks around the office, such as filing, office storage and asset management.

### Easy-Peel Backing

Quickly and easily remove label backing for trouble-free application.



## DYMO DURABLE LABELS

### D1® Durable Labels

Extra-strength labels resist tough conditions - UV- & sunlight, extreme temperatures, moisture, chemicals, and more. Ideal for both indoor and outdoor applications.



### D1® Permanent Polyester Labels

Look the same as standard labels but offer a powerful, permanent adhesive for when you want a label to stay put indefinitely.



### D1® Flexible Nylon Labels

For curved and/or heavily textured surfaces and flag-marking cables. Its permanent adhesive means it will stay put.



## D1® Labels

TAPE WIDTH	6 mm/Price	9 mm/Price	12 mm/Price	19 mm/Price	24 mm/Price
<b>D1® STANDARD LABELS (7 m length)</b>					
ABC	S0720780/xx	S0720680/xx	S0720530/xx	S0720830/xx	S0720930/xx
ABC	S0720770/xx	S0720670/xx	S0720500/xx	S0720820/xx	S0720920/xx
ABC	S0720790/xx	S0720730/xx	S0720580/xx	S0720880/xx	S0720980/xx
ABC	-	S0720710/xx	S0720560/xx	S0720860/xx	-
ABC	-	S0720740/xx	S0720590/xx	S0720890/xx	-
ABC	-	S0720720/xx	S0720570/xx	S0720870/xx	S0720970/xx
ABC	-	-	S0720610/xx	S0720910/xx	S0721010/xx
ABC	-	S0720690/xx	S0720540/xx	-	-
ABC	-	-	S0720600/xx	-	-
ABC	-	-	S0720550/xx	-	-
<b>D1® STANDARD MULTIPACKS (10 x D1 / 7 m length)</b>					
ABC	-	2093096/xx	2093097/xx	2093098/xx	-
<b>D1® DURABLE LABELS (3 m length)</b>					
ABC	-	-	1978366/xx	-	-
ABC	-	-	1978365/xx	-	-
ABC	-	-	1978367/xx	-	-
<b>D1® DURABLE LABELS (5.5 m length)</b>					
ABC	-	-	1978364/xx	-	-
<b>D1® PERMANENT POLYESTER (5.5 m length)</b>					
ABC	-	-	S0718060/xx	S0718050/xx	-
<b>D1® FLEXIBLE NYLON (3.5 m length)</b>					
ABC	-	-	S0718040/xx	S0718070/xx	-



Flat Surface



Textured Surface



Cable/Wire



UV Resistant



Water Resistant



Oil Resistant



Chemical Resistant



Temperature: -40° C to 80° C



# DYMO® Organisation Made Simple



## DYMO LabelWriter™ 550



Easy-to-use Ink-Free Label Printer for PC and Mac®

- New Automatic Label Recognition™ - see the size, type, and number of remaining labels at a glance
- Direct thermal printing technology - no expensive ink or toner required
- Prints up to 62 labels per minute
- Customize and print address, file folder, and barcode labels, name badges and more with DYMO® Connect for Desktop software
- Graphics are crystal clear, with 300 x 300 dpi

Order-No.	SKU	Purchase Units	QT	Price
XXXX	2112722	XXXX	1/1	xx.xx



reddot winner 2023



## LabelWriter Features



Find out more



MODEL / FEATURE	LabelWriter™ 550	LabelWriter™ 550 Turbo	LabelWriter™ Wireless	LabelWriter™ 450 Duo	LabelWriter™ 450 Twin Turbo	LabelWriter™ 5XL
Automatic Label Recognition™	Yes	Yes	No	No	No	Yes
Print Resolution (DPI)	300 x 300	300 x 300	600 x 300	600 x 300 D1: 180 dpi	600 x 300	300 x 300
Printing System	Direct Thermal	Direct Thermal	Direct Thermal	Direct Thermal	Direct Thermal	Direct Thermal
Print Speed (labels per minute)	62	90	71	71	71	53
Maximum Print Width (mm)	56	56	56	56	56	106
Available Label Templates	100+	100+	100+	100+	100+	100+
Label Template Designer	Yes	Yes	Yes	Yes	Yes	Yes
Print texts, barcodes (20 types), images & pictures, date & time, serial numbers and much more	Yes	Yes	Yes	Yes	Yes	Yes
Label Types & Sizes	27	27	27	27 + 45 D1 Labels	27	31
Label Guides (keeps labels aligned)	Yes	Yes	Yes	No	Yes	Yes
Sleep Mode (conserve energy)	Yes	Yes	Yes	Yes	Yes	Yes
Connectivity	-	LAN	Wi-Fi	-	-	LAN
Starter Labels Included	20 labels 89 x 36 mm	20 labels 89 x 36 mm	20 labels 89 x 36 mm	20 labels, 89 x 36 mm + 24 mm x 3 m D1 labels black on white	2 x 20 labels 89 x 36 mm	20 labels 104 x 159 mm
Size (WxDxH)	127 x 187 x 134 mm	127 x 187 x 134 mm	127 x 204 x 124 mm	140 x 197 x 183 mm	217 x 187 x 134 mm	178 x 187 x 134 mm
Weight	1,310 g	1,310 g	1,310 g	1,360 g	1,120 g	2,100 g
Warranty Guarantee*	2+1 years	2+1 years	2+1 years	2+1 years	2+1 years	2+1 years

## Automatic Label Recognition

## Label Printing Easier than Ever

Automatic Label Recognition recognizes and displays the label size, type, and number of labels remaining, eliminating frustration by ensuring labels never run out without notice.

Automatic Label Recognition is available only on the LabelWriter™ 550, 550 Turbo and 5XL.



**GET IT RIGHT  
THE FIRST TIME WITH  
CRYSTAL-CLEAR PRINTING.**

THANKS TO  
**AUTOMATIC  
LABEL  
RECOGNITION™**



DYMO® Labels are produced in Belgium



Packaging made from recycled materials



Look out for DYMO®  
FSC™- certified products  
Certificate : SGSCH-COC-041289





## LabelWriter™ Labels



### LW Paper labels: print one label or hundreds with ease.

- ▶ Direct thermal print technology provides clear text without messy, expensive ink or toner
- ▶ No sheet label jams, no layout hassle and no waste
- ▶ Available in a variety of sizes for mailing, shipping and specialty applications



LABEL TYPE	ITEM CODE	DESCRIPTION	SIZE (W x H mm)	ROLL/LABEL	LABEL FORMAT	PRICE
STANDARD MAILING LABELS	<b>S0722370</b>	Standard Address Labels	28 x 89	2 / 130		XX, XX
	<b>S0722360</b>	Standard Address Labels <b>Multipack</b>	28 x 89	24 / 130		XX, XX
	<b>2093091</b>	Standard Address Labels <b>Multipack</b>	28 x 89	12 / 130		XX, XX
	<b>S0722400</b>	Large Address Labels	36 x 89	2 / 260		XX, XX
	<b>S0722390</b>	Large Address Labels <b>Multipack</b>	36 x 89	24 / 260		XX, XX
	<b>2093093</b>	Large Address Labels <b>Multipack</b>	36 x 89	12 / 240		XX, XX
	<b>S0722410</b>	Large Address Labels (Transparent Plastic)	36 x 89	1 / 260		XX, XX
	<b>S0722520</b>	Large Return Address Labels	25 x 54	1 / 500		XX, XX
	<b>2177563</b>	Large Return Address Labels <b>Multipack</b>	25 x 54	12 / 500		XX, XX
	<b>2177564</b>	Large Return Address Labels <b>Multipack</b>	25 x 54	6 / 500		XX, XX
STANDARD SHIPPING LABELS	<b>S0722430</b>	Shipping / Name Badge Labels	54 x 101	1 / 220		XX, XX
	<b>2133400</b>	Shipping / Name Badge Labels Yellow	54 x 101	1 / 220		XX, XX
	<b>2093092</b>	Shipping / Name Badge Labels <b>Multipack</b>	54 x 101	6 / 220		XX, XX
	<b>S0722420</b>	Shipping / Name Badge Labels <b>Multipack</b>	54 x 101	12 / 220		XX, XX
	<b>S0947420</b>	High Capacity Shipping Labels 4XL/5XL only	102 x 59	2 / 575		XX, XX
	<b>2177565</b>	Extra Large Shipping Labels DHL 4XL/5XL only <b>Multipack</b>	102 x 210	6 / 140		XX, XX
	<b>2166659</b>	Extra Large Shipping Labels DHL 4XL/5XL only	102 x 210	1 / 140		XX, XX
STANDARD MULTI-PURPOSE LABELS	<b>S0904980</b>	Extra Large Shipping Labels 4XL/5XL only	104 x 159	1 / 220		XX, XX
	<b>S0722530</b>	Multi-Purpose Labels	13 x 25	1 / 1000		XX, XX
	<b>S0929120</b>	Square Multi-Purpose Labels	25 x 25	1 / 750		XX, XX
	<b>S0722550</b>	Multi-Purpose Labels	19 x 51	1 / 500		XX, XX
	<b>S0722440</b>	Large Multi-Purpose Labels	54 x 70	1 / 320		XX, XX
	<b>S0722540</b>	Multi-Purpose Labels	32 x 57	1 / 1000		XX, XX
	<b>2093094</b>	Large Multi-Purpose Labels <b>Multipack</b>	32 x 57	6 / 1000		XX, XX
	<b>2093095</b>	Large Multi-Purpose Labels <b>Multipack</b>	32 x 57	12 / 1000		XX, XX
STANDARD SPECIALITY LABELS	<b>S0722460</b>	Suspension File Labels	12 x 50	1 / 220		XX, XX
	<b>S0722470</b>	Small Lever Arch File Labels	38 x 190	1 / 110		XX, XX
	<b>S0722480</b>	Large Lever Arch File Labels	59 x 190	1 / 110		XX, XX
	<b>S0722560</b>	Small Name Badge Labels	41 x 89	1 / 300		XX, XX
	<b>S0929100</b>	Appointment / Name Badge Cards	51 x 89	1 / 300		XX, XX
	<b>2191636</b>	Receipt Paper Labels (Continuous Paper)	57 x 91	1		XX, XX
	<b>2187328</b>	Veterinary Prescription Labels <b>Multipack</b>	54 x 70	6 / 400		XX, XX
	<b>2187329</b>	Stock Rotation Labels	54 x 70	1 / 400	Not actual size	XX, XX
	<b>2191635</b>	Price Tag Labels	10 x 19	1 / 1500		XX, XX



DYMO® Labels are produced in Belgium



Packaging made from recycled materials



Look out for DYMO®  
FSC™- certified products  
Certificate : SGSCH-COC-041289



**LW Durable Labels offers stronger resistance on challenging surfaces.**

- ▶ Industrial-strength permanent adhesive
- ▶ Protective coated poly propylene labels offering extra-resistance
- ▶ Scratch- and tear-resistant plastic material



Multi-surface



Temperature



Chemicals










Oil





Moisture




	Properties				Applications					Compatibility FSC™ Compliant
	Multi-surface	Solvent Resistant	Moisture	Temperature	Mailing & Shipping	Name badges	Inventory	Floor Marking	Shelving	
<b>LW Paper</b>	-	-	-	-18° C to 60° C	✓	✓	-	-	-	✓
<b>LW Durable</b>	✓	✓	✓	-18° C to 80° C	✓	-	✓	✓	✓	-

LABEL TYPE	ITEM CODE	DESCRIPTION	SIZE (W x H mm)	ROLL/LABEL	LABEL FORMAT	PRICE
<b>LW DURABLE LABELS</b> 	<b>2112285</b>	LW Durable Labels	25 x 89	1 / 350		XX, XX
	<b>2112286</b>	LW Durable Labels	25 x 25	2 / 850		XX, XX
	<b>2112289</b>	LW Durable Labels	32 x 57	1 / 800		XX, XX
	<b>2112284</b>	LW Durable Labels	19 x 64	2 / 450		XX, XX
	<b>2112287</b>	LW Durable Labels (4XL / 5XL only)	104 x 159	1 / 200	 For real size see page 9	XX, XX
	<b>2112290</b>	LW Durable Labels	59 x 102	1 / 300		XX, XX
	<b>2112283</b>	LW Durable Labels	25 x 54	1 / 160		XX, XX



## FIND YOUR RIGHT ACCESSORY

	ITEM CODE	DESCRIPTION
<b>ACCESSORIES</b> 	2209408	DY LW PRINT HEAD CLEAN KIT
	2209376	DY LW SPOOL
	2209412	LABELWRITER POWER CORD UK
	2209401	SAS LW ADAPTER ASSY
	2209379	USB CABLE FOR LABELWRITERS



DYMO® Labels are produced in Belgium



Packaging made from recycled materials



Look out for **DYMO®**  
**FSC™- certified products**  
Certificate : SGSCH-COC-041289





Find out more:



# LabelWriter™ Labels Visual Guide

A visual guide to some of our most popular LabelWriter™ labels shapes and sizes.

## ADDRESS



### 36 x 89 mm


S0722410 Clear | S0722400 & 1983172 White

### 28 x 89 mm

S0722370 & 1983173 (130 per roll)



## SUSPENSION FILE



### 12 x 50 mm

S0722460 (220 per roll)



## SHIPPING



### 54 x 101 mm S0722430

(220 per roll) 2133400 (Yellow)

## FILING

### 38 x 190 mm


S0722470 (110 per roll)

### 59mm x 190mm

S0722480 (110 per roll)



## RETURN LABEL:



### 25mm x 54mm


S0722520 (500 per roll)

## PRICETAG LABEL



### 10 x 19mm

size as seen above for 2191635  
full label size is 54 x 11mm



DYMO® Labels are produced in Belgium



Packaging made from recycled materials



Look out for DYMO®  
FSC™- certified products  
Certificate : SGSCH-COC-041289

# LabelWriter™ Labels Visual Guide



## EXTRA LARGE SHIPPING


<b>E</b>	* SAMPLE * Mailed from ZIP 94301 Flat Rate Envelope, Express Mail Commercial Base Pricing
	<p><b>**VOID - DO NOT MAIL**</b></p> <p>TEST SAMPLE 071V00621230</p>
<b>EXPRESS EXPRESS MAIL®</b>	
<p><b>EXPRESS EXPRESS MAIL</b></p> <p>EO 026 409 804 US</p>	
<b>POSTAL USE ONLY</b>	
Date In: Mo. Day Year Time In: <input type="checkbox"/> AM <input type="checkbox"/> PM	
Day of Delivery: <input type="checkbox"/> Next <input type="checkbox"/> Second <input type="checkbox"/> 12 Noon <input type="checkbox"/> 3 PM	
Return Receipt <input type="checkbox"/>	COD <input type="checkbox"/> Additional Insurance <input type="checkbox"/>

For use with LabelWriter™ 4XL/5XL only  
**104 x 159 mm**  
 S0904980 (220 per roll)

Available as LW Durable (Plastic)  
 2112287



## HIGH CAPACITY SHIPPING



For use with LabelWriter™ 4XL/5XL only  
**102 x 59 mm**  
 S0947420 (575 per roll)



**Receipt Paper Labels**  
**57mm x 91m**  
 2191636 (Continuous Paper)



DYMO® Labels are produced in Belgium



Packaging made from recycled materials





Look out for DYMO®  
**FSC™-certified products**  
 Certificate : SGSCH-COC-041289



# LabelWriter™ Labels Visual Guide



## MULTI-PURPOSE



**32 x 57 mm**  
S0722540 (1000 per roll)  
Removable

**19 x 51 mm**  
S0722550 (500 per roll)

**25 x 25 mm**  
S0929120 (750 per roll)


**13 x 25 mm**  
S0722530 (1000 per roll)

## APPOINTMENT / NAME BADGE



**41 X 89 mm** S0722560 (300 per roll)

**51 x 89 mm** S0929100 (300 per roll)



## DURABLE LABELS

### LW Durable Labels

**25mm x 89mm**  
2112285

**25mm x 25mm**  
2112286


**32mm x 57mm**  
2112289

**19mm x 64mm**  
2112284

**59mm x 190mm**  
2112288

**59mm x 102mm**  
2112290

**25mm x 54mm**  
2112283



DYMO® Labels are produced in Belgium



Packaging made from recycled materials



Look out for **DYMO®**  
**FSC™-certified products**  
Certificate : SGSCH-COC-041289

# LabelWriter™ Labels Visual Guide



## DAY OF THE WEEK LABEL

MO	DI	MI	DO	FR	SA	SO
<b>Veganer Kartoffelsalat</b>						
HERSTELLUNG		DATUM		UHRZEIT		
06.06.24		14:15				
VERWENDBAR BIS		18.06.24		14:15		
MITARBEITER		IT				

54mm x 70mm  
2187329



## LARGE MULTI-PURPOSE

54mm x 70mm  
S0722440 (320 per roll)



For use with LabelWriter™ 4XL/5XL only  
**102 x 210 mm**  
2166659 (140 per roll)

## HIGH CAPACITY SHIPPING

<b>FROM NAME</b> <b>FROM PHONE</b> <b>FROM ADDRESS 1</b> <b>FROM ADDRESS 2</b> <b>FROM CITY, STATE, ZIP</b>	<b>WEIGHT LBS X OF TOTAL</b>  <b>DWT: DWT:</b> <b>AH</b>
<b>SHIP TO:</b> <b>TO NAME</b> <b>TO PHONE</b> <b>TO ADDRESS 1</b> <b>TO ADDRESS 2</b> <b>TO ADDRESS 3</b> <b>TO CITY, STATE, ZIP</b>	
<div style="display: inline-block; text-align: left; margin-left: 20px;"> <b>HI 967 9-02</b>  </div>	
<b>UPS NEXT DAY AIR</b> <span style="font-size: 2em; margin-left: 20px;">1</span> <small>TRACKING # 1Z 071 5X1 01 9064 7079</small>	
<b>ADDITIONAL ROUTING INS.</b> <b>ADDITIONAL ROUTING INS.</b>	
<div style="font-size: 4em; font-weight: bold; margin: 0 auto;">E</div>	<p><small>* SAMPLE *      Mailed from ZIP 94301</small>  <small>Flat Rate Envelope, Express Mail</small>  <small>Commercial Base Pricing</small></p> <div style="border: 1px solid black; padding: 5px; text-align: center;"> <b>**VOID - DO NOT MAIL**</b> </div> <p><small>TEST SAMPLE      071 V00621230</small></p>
<b>EXPRESS EXPRESS MAIL®</b>	

102mm x 210mm



DYMO® Labels are produced in Belgium



Packaging made from recycled materials



Look out for DYMO®  
FSC™- certified products  
Certificate : SGSCH-COC-041289

# DYMO®

## A Better Way to Label



red**dot** winner 2023

“In search of good design and creativity” – the Red Dot Design Award is one of the world’s biggest and prestigious design awards available and DYMO® is proud winner with our innovative label makers.

### LetraTag® 200B

Quick and Easy Smartphone Labeling with Bluetooth® wireless technology



Find out more about our Red Dot Award



### LabelWriter™ 5 Series

LabelWriter™ printers are carefully calibrated to save you time, money and effort.



Find out more about our Red Dot Award







## DYMO Junior

Home Embossing Label Maker

- Easy to load – just insert label cassette in slot
- Embosses 42 different characters including special symbols
- Last character embossed is always visible - reduces label waste
- Cuts labels with easy-to-peel tabs
- Large knob for easy turn-and-click character selection
- Uses 9 mm wide 3D labels
- No batteries needed

Order-No.	SKU	Purchase Units	QT	Price
XXXX	2174602	XXXX	Piece	xx,xx



## DYMO Omega

Home Embossing Label Maker

- Embosses 49 different characters including special symbols
- Ergonomic handle with soft-touch grip for comfort
- Cuts labels with easy-peel tabs
- Uses 9 mm wide 3D labels
- Easy turn-and-click character selection
- No batteries needed

Order-No.	SKU	Purchase Units	QT	Price
XXXX	2174601	XXXX	Piece	xx,xx



## DYMO Embossing Labels

DYMO

DYMO® 3D plastic embossing labels stick to any smooth, clean surface and are resistant to water, corrosion, abrasion and most chemicals. Whether you use them indoors or outdoors, you can count on them to last – and to stay in place.

- **Tab Cut**  
DYMO® embossing machines are equipped with a tab cut for easy removal of the plastic label liner
- **Water resistant**  
Withstands water, oils, greases and most milder solvents
- **UV resistant**  
Withstands exposure to sunlight without fading or peeling



## Embossing Labels

DYMO

COLOUR	Blister 3-Roll Card 9 mm x 3 m	Boxed 9 mm x 3 m	Price
<b>EMBOSSING LABELS</b>			
ABC	S0847730	S0898130	
ABC	S0847740	S0898140	
ABC	-	S0898150	
Multi-Pack	S0847750	-	

**DYMO® LETRATAG® 200B LABEL MAKER**

**Organisation made simple.**

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Newell Brands is under license. Other trademarks and trade names are those of their respective owners.

## DYMO LetraTag® 100H

Handheld Personal Label Maker

- Large graphical display enables you to see text effects on screen before you print
- Prints 5 font sizes, 7 text styles and 8 box styles
- 9-label memory
- Auto-off power saver
- Easy-to-use navigation buttons for fast access to special features
- Prints on paper, plastic, metallic and iron-on LetraTag LT labels
- Uses 4 AA batteries (not included)

Order-No.	SKU	Purchase Units	QT	Price
XXXX	2174576	XXXX	1/16	xx,xx

12 mm



## DYMO LetraTag® 100T

Personal Label Maker with a desktop keyboard layout

- Large graphical display enables you to see text effects on screen before you print
- Prints 5 font sizes, 7 text styles and 8 box styles
- 9-label memory
- Auto-off power saver
- Easy-to-use navigation buttons for fast access to special features
- Prints on paper, plastic, metallic and iron-on LetraTag LT labels
- Uses 4 AA batteries (not included)

Order-No.	SKU	Purchase Units	QT	Price
XXXX	2174593	XXXX	XXXX	xx,xx

12 mm



DYMO® Labels are produced in Belgium



Packaging made from recycled materials




Look out for DYMO®  
FSC™-certified products  
Certificate : SGSCH-COC-041289

# DYMO<sup>®</sup>

LETRATAG<sup>®</sup> 200B  
LABEL MAKER



## Organisation made simple.



The Bluetooth<sup>®</sup> word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Newell Brands is under license. Other trademarks and trade names are those of their respective owners.

Using the DYMO<sup>®</sup> LetraTag<sup>®</sup> app for easy, wireless label printing / Android v10 and higher / Apple iOS v12 and higher



<sup>1</sup> Smartphone not included

©2024 Newell Office Brands



## DYMO® LetraTag® 200B

**Quick and Easy Smartphone labeling with Bluetooth® wireless technology**

- The LetraTag® 200B is compact, lightweight, and battery operated\* making it easy to slide into your bag for easy use on the go.
- Easy organization with customizable labels that include 5 font sizes, 15 box styles, 100+ icons, the option to underline, create multiple lines of text, or insert a date.
- LetraTag® Connect app with access to 8 pre-saved templates for even easier label creation
- Bluetooth range: Up to approximately 10 meters/33 feet!

\*4 x AA – not included



reddot winner 2023



Find out more

LT




Order-No.	SKU	Purchase Units	QT	Price
XXXX	2172855	XXXX	XXXX	xx,xx

12 mm



Personalize your labels with font styles, borders, icons and more. Easily pair with the DYMO LetraTag® 200B label maker with Bluetooth® wireless technology to print and label in your home, classroom or workplace!



\*\*Smartphone not included



### DYMO® LetraTag® Labels

Created specifically for your DYMO® LetraTag® label maker, DYMO® LT labels are packaged in easy-to-load cassettes and feature an easy-peel backing for trouble-free application.

Choose from four materials:

- **Paper**  
Economical labels for indoor use (FSC™ certified)
- **Metallic**  
Tear-resistant, durable labels for indoor use
- **Plastic**  
Tear-resistant, durable and wipeable labels for indoor use
- **Iron-on**  
Machine-washable labels for use on clothing and fabrics



Find out more

MADE IN  
FABRIQUE EN  
EUROPE

### LetraTag® Labels

COLOUR	Paper/Price 12 mm x 4 m	Plastic/Price 12 mm x 4 m	Metallic-Look/Price 12 mm x 4 m	Iron-On/Price 12 mm x 2 m
ABC	S0721510/xx	S0721660/xx	-	S0718850/xx
ABC	-	S0721530/xx	-	-
ABC	-	S0721620/xx	-	-
ABC	-	S0721630/xx	-	-
ABC	-	S0721640/xx	S0721740/xx	-
ABC	-	S0721650/xx	-	-
ABC	-	-	S0721730/xx	-
Multi-Pack	S0721800/xx	S0721800/xx	S0721800/xx	-



DYMO® Labels are produced in Belgium



Packaging made from recycled materials



Look out for DYMO®  
FSC™- certified products  
Certificate : SGSCH-COC-041289






## DYMO® Digital Postal and Shipping Scales

All postal and shipping scales are equipped with:

- "Hold" feature locks weight display for ten seconds after item is removed - convenient when large package or envelope blocks view of display
- Tare function - weigh items in a container minus weight of container
- Automatic shut-off when scale is not in use - conserves battery power (3 x AAA, not included)



## DYMO® Postal Scales

Calculate precise weights for envelopes and packages up to 2 kg

- Compact, accurate scales weigh envelopes and packages



Order-No.	SKU	Purchase Units	QT	Price
XXXX	S0928990	XXXX	XXXX	xx,xx

## DYMO® Postal Scales

Calculate precise weights for envelopes and packages up to 5 kg

- Compact, accurate scales weigh envelopes and packages
- Works with Windows® 7 or later and Mac OS® v12 or later.



Order-No.	SKU	Purchase Units	QT	Price
XXXX	S0929000	XXXX	XXXX	xx,xx

## DYMO® USB Postal Scales

Our most versatile scales weigh envelopes and packages up to 10 kg

- Compact, accurate scales weigh envelopes and packages
- Works with Windows® 7 or later and Mac OS® v12 or later.




Order-No.	SKU	Purchase Units	QT	Price
XXXX	S0929010	XXXX	XXXX	xx,xx

## DYMO® USB Shipping Scales

Heavy-duty portable scales for packages up to 50 kg

- Built-in wrap-around handle for easy portability - allows you to carry the scale to heavy packages, not vice-versa
- Detachable LCD screen allows convenient hand-held or wall-mounted viewing
- Works with Windows® 7 or later and Mac OS® v12 or later.

Order-No.	SKU	Purchase Units	QT	Price
XXXX	S0929050	XXXX	XXXX	xx,xx



### Scale Features

MODEL / FEATURE	M2 Digital Postal Scale	M5 Digital USB Postal Scale	M10 Digital USB Postal Scale	S50 Portable Digital USB Shipping Scale
Product Number	S0928990	S0929000	S0929010	S0929050
Maximum weight capacity	2 kg	5 kg	10 kg	50 kg
Minimum weight capacity	2 g	4 g	4 g	0.5 kg
Weight Display (Switch possibility kg <-> lb)	0 kg 000 g	0 kg 000 g	0 kg 000 g	0.0 kg
Weight interval	1 g	2 g	2 g	100 g
Automatic Shut-off	Yes	Yes	Yes	Yes
Hold button (to lock weight display)	Yes	Yes (+ led indicator)	Yes (+ led indicator)	Yes
Tare button (to weigh contents in a container)	Yes	Yes	Yes	Yes
USB Connection	No	Yes	Yes	Yes
Detachable LCD-display (handheld or Wall-mounted use)	No	No	No	Yes
Power Source (batteries excluded)	3 x AAA Batteries	USB cable or 3 x AAA batteries	USB cable or 3 x AAA batteries	USB cable, AC adapter or 3 x AAA batteries
Platform Dimensions	15 cm x 15 cm	20 cm x 20 cm	20 cm x 20 cm	30 cm x 30 cm



DYMO® Labels are produced in Belgium



Packaging made from recycled materials



Look out for DYMO®  
FSC™-certified products  
Certificate : SGSCH-COC-041289



## DYMO® RHINO™ 4200


Compact, time-saving labelling tool for on-the-go pros

- Prints 6/9/12/19 mm widths
- Exclusive 'Hot Keys' automatically size, space and format labels for specific industrial applications
- Quick and comfortable text entry on the computer-style keyboard with country-specific layout
- Custom key (prevents needless repetition): Customise & save settings for individual label formats
- Kit version include: Rhino 4200 printer, hard carry case, 12mm black on white vinyl tape, rechargeable battery, AC adapter, and user guide

1. RHINO™ 4200 KIT
2. RHINO™ 4200 BOX

Order-No.	SKU	Purchase Units	QT	Price
1. XXXX	1852998	XXX	1/1	XX,XX
2. XXXX	S0955970	XXX	1/1	XX,XX

Available label width:



## DYMO® RHINO™ 5200


The portable, affordable label printer for DataComm, electrical, audio/visual, security, MRO, construction and broadcast professionals.

- Meets all ANSI and TIA/EIA-606-A industry labelling standards
- Patented one-touch "hot keys" automatically format label text for electrical and patch panels, wire and cable flags, face plate tags, terminal blocks, horizontal and vertical wraps, vertical and fixed-length applications
- Kit version include: Rhino 5200 printer, hard carry case, 19mm black on white vinyl tape, 12mm black on white vinyl tape, rechargeable battery, AC adapter, and user guide

1. RHINO™ 5200 KIT
2. RHINO™ 5200 BOX

Order-No.	SKU	Purchase Units	QT	Price
1. XXXX	S0841400	XXX	1/1	XX,XX
2. XXXX	S0841480	XXX	1/1	XX,XX

Available label width:



## Rhino Features



MODEL / FEATURE	RHINO™ 4200 + Kitcase variety available	RHINO™ 5200 + Kitcase variety available	RHINO™ 6000+ Kit Case
PC Connectivity	No	No	Yes
Fonts	1	1	2
Lines Displayed On Screen	1	4	4
Character Sizes	7	7	7
Flag & Cable Wraps	Yes	Yes	Yes
Patch Panels	No	Yes	Yes
Electrical Panels	Yes	Yes	Yes
Vertical Printing	Yes	Yes	Yes
Repeat Printing	Yes	Yes	Yes
Multiple Lines Printing	4 lines	5 lines	5 lines
Serialisation	Simple	Advanced	Advanced
Memory	25 labels	100 labels	200 labels
Barcodes	Yes	Yes	Yes
Adapter	Optional	Included	Included
Battery Power	6 AA or Rechargeable	Rechargeable	Rechargeable
Weight	460 g	250 g	1.81 kg
Size	17.6 x 11.6 x 6 cm	11.4 x 21.2 x 7 cm	7.5 x 13.7 x 24.6 cm
Tape System	DYMO® IND	DYMO® IND	DYMO® IND
Tape Width	6/9/12/19 mm	6/9/12/19 mm	6/9/12/19/24 mm
Tape Supplied with Machine	Black/White 12 mm Flex Vinyl	Black/White 12 & 19 mm Flex Vinyl	White Vinyl 9 mm+ Flexible Nylon 24 mm
Warranty Guarantee**	2+1 years	2+1 year	2+1 years

\*\* 1 year warranty +1 additional year upon registration on dymo.com




DYMO® Labels are produced in Belgium



Packaging made from recycled materials



Look out for DYMO®  
FSC™- certified products  
Certificate : SGSCH-COC-041289



## DYMO® RHINO™ 6000+


### PC-connected or portable labeling tool

Create labels, or transfer files including barcodes and complex label layouts from DYMO ID™ software to your Windows PC to the Rhino 6000+ for easy editing on the job.

- Prints 6/9/12/19/24 mm widths
- Meets key ANSI and TIA/EIA-606-B industry labeling standards.
- Exclusive, one-touch "Hot Keys" automatically size, space and format label text
- For electrical and patch panels, terminal and 110 blocks, wire and cable flags, horizontal and vertical wraps, vertical and fixed-length applications including 5-line print capability.
- Print 8 barcode types including Code 39, Code 128, Codabar, UPC A/E, EAN 8/13, PDF 417, code 39 mod 43 variant and QR code.
- Symbol library with 250+ pre-programmed industry symbols, terms, fractions and punctuation marks.
- Including DYMO ID™ software

Order-No.	SKU	Colour	QT	Price
XXXX	S2122966	XXXX	XXXX	xx,xx

Available label width:



Find out more



## DYMO® RHINO™ Industrial Labels

For use with Rhino series

### • IND Vinyl

Ideal for both indoor and outdoor applications. Available in the widest range of colors that meet OSHA, ANSI and ISO colour standards.

### • IND Permanent Polyester

Professional polished finish ideal for panels, blocks, faceplates, shelves, bins, beams and more.

### • IND Heat Shrink

For high-end cable identification. A 3:1 shrink ratio helps ensure a secure fit on wires and cables. UL recognised as a component to UL 224, RoHS compliant, meets MIL-STD-202G, MIL-81531 & SAE-DTL 23053/5 (Class 1&3).

### • IND Flexible Nylon

Tear-proof material for labelling wires, cables and rounded surfaces.



UL recognised component to UL 969. RoHS compliant.



Using DYMO ID is easy thanks to a uniform experience that integrates the same great features found on your RHINO™ label maker and packs them into a powerful PC-based software package. Available as a free download from [dymo.com](http://dymo.com), DYMO ID will provide you with the functionality you need to tackle even the most complex labelling.

Environments	Heat/Cold Resistant	UV	Oil resistant	water resistant	chemical resistant	color coding
<b>SURFACE</b>						
cable/wire	Flexible Nylon shrink tubing	Indoor/Outdoor Vinyl shrink tubing	Indoor/Outdoor Vinyl shrink tubing	Indoor/Outdoor Vinyl shrink tubing	Indoor/Outdoor Vinyl shrink tubing	Indoors/Outdoors Vinyl
uneven surface	Flexible Nylon Vinyl for indoor and outdoor use	Indoor/Outdoor Vinyl Flexible nylon	Indoor/Outdoor Vinyl	Indoor/Outdoor Vinyl Flexible nylon	Indoors/Outdoors Vinyl	Indoors/Outdoors Vinyl
flat surface	Permanent Polyester Flexible nylon	Permanent Polyester Indoor/Outdoor Vinyl	Permanent Polyester Indoor/Outdoor Vinyl	Permanent Polyester Indoor/Outdoor Vinyl	Permanent Polyester Indoor/Outdoor Vinyl	Indoors/Outdoors Vinyl
Rough surface	Permanent polyester Flexible nylon	Indoor/Outdoor Vinyl Permanent polyester	Indoor/Outdoor Vinyl Permanent polyester	Indoor/Outdoor Vinyl Permanent polyester	Indoor/Outdoor Vinyl Permanent polyester	Indoors/Outdoors Vinyl

### DYMO® nylon straps for Rhino™

Flexible nylon tape specially designed for marking cables and wires. This tape has high adhesion and flexibility. Can also be used in environments where the belts are exposed to dirt and oil.

Temperature resistance: -18° to +120°C



Colour	6 mm	9 mm	12 mm	19 mm	24 mm	Price
ABC	-	-	18488	18489	1734524	xx,xx
ABC	-	-	18490	18491	1734525	xx,xx

### DYMO® polyester tapes for Rhino™

Permanent polyester can be flat, rough on a variety or very rough surfaces are used and is particularly resistant to solvents and chemicals. UL recognized to UL 969.

Temperature resistance: -18° to +120°C



Colour	6 mm	9 mm	12 mm	19 mm	24 mm	Price
ABC	1805442	18482	18483	18484	1734523	xx,xx
ABC	1805440	18508DMO	622289	622290	-	xx,xx

### DYMO® heat shrink tubing for Rhino™

Heat shrink tubing is a tack-free yet permanent polyolefin solution that allows you to identify and protect your wires and cables at the same time. The tubing is fire retardant and has a 3:1 shrink ratio. Meets the following standards MIL-M-8153, MIL-STD-202G, SAE-DTL-23053/5 (Class 1/3) & UL recognized to UL 224.

Temperature resistance: -55° C bis 135°C



Colour	6 mm	9 mm	12 mm	19 mm	24 mm	Price
ABC	18051	18053	18055	18057	1805443	xx,xx
ABC	18052	18054	18056	18058	1805444	xx,xx

### DYMO® vinyl tapes for Rhino™

Colored vinyl combines flexibility, a strong adhesive and high chemical resistance, making this label ideal for many applications where color is desired. UL recognized to UL 969.

Temperature resistance: -40°C to 80°C



Colour	6 mm	9 mm	12 mm	19 mm	24 mm	Price
ABC	-	18443	18444	18445	1805430	xx,xx
ABC	-	-	18432	18433	1805431	xx,xx
ABC	-	-	18435	18436	-	xx,xx
ABC	-	-	1805416	1805422	-	xx,xx
ABC	-	1805437	1805435	1805436	1805432	xx,xx
ABC	-	-	1805243	1805417	-	xx,xx
ABC	-	-	1805414	1805420	-	xx,xx



DYMO® Labels are produced in Belgium



Packaging made from recycled materials



Look out for DYMO®  
FSC™-certified products  
Certificate: SGSCH-COC-041289



# DYMO®

## A Better Way to Label



DYMO® is committed into maximizing your efficiency, whilst investing into protecting the environment – one label at a time.

DYMO® has a dedicated team focused on ensuring compliance with government and country-specific regulations regarding product safety, sustainability, and environmental standards. We are committed to meet all legal requirements while also prioritizing environmental protection.



### FSC™ certified products

DYMO® paper products are FSC™ Mix certified.

Meaning that these products are made of material from well-managed, FSC™-certified forests and other controlled sources.

Certificate : SGSCH-COC-041289



### Recycled Materials

DYMO® cardboard sleeve and box label packaging contains up to 80% recycled material, while the DYMO® plastic blister label packaging is made from 60% recycled material. Additionally, D1® and LetraTag® external cassettes are also crafted from up to 80% recycled materials.



### No Ink or Toner required

DYMO® labelers use innovative thermal printing technology that eliminates the use and disposal of ink or toner cartridges.

## DYMO® for more sustainable labeling!

Always look for DYMO®-branded labels, designed to save you money, time and effort.

\*LabelWriter™, D1®, LetraTag®, Rhino™, Embossing labels produced in Belgium, Europe.






Welcome to the DYMO® Community.

To help you improve your DYMO® our customer service team is available to support you if you have any questions

Scan the QR code or visit us at

<https://help.dymo.com>



Label Printing Easier than Ever



### Your Sales Representative

Name

Direct  Mobile

Email

Stick with us for the latest label trends



@DymoLabels  
#ABetterWayToLabel



[www.youtube.com/@dymo](https://www.youtube.com/@dymo)



[www.dymo.com](https://www.dymo.com)

